

# Product datasheet

Specifications



## Easy UPS Network Management Card

AP9547

### Overview

#### Presentation

The Network Management Card for Easy UPS 3 Series (AP9547) enables secure remote monitoring and control of one Easy UPS 3S, Easy UPS 3S Pro, Easy UPS 3M or Easy UPS 3L through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 1-year Secure NMC System with IEC 62443-4-2 compliant NMC firmware updates is included with the purchase of the Network Management Card. After expiration of the 1-year included Secure NMC System, the purchase of an Advantage Plan (Plus, Prime, Ultra) or EcoCare membership with onsite maintenance visits for the UPS is required to get future NMC firmware updates.

Lead time Usually in Stock

### Main

Range of product Network Management Cards

Range compatibility Easy UPS 3S  
Easy UPS 3M  
Easy UPS 3L  
Easy UPS 3S Pro  
Galaxy PW 2nd generation

Product or component type Device monitoring and management

Provided equipment Micro-USB cable  
Installation manual

Number of input phases 3

Standards CISPR 32  
VCCI class A  
ICES-003  
EN 55024  
EN 61000-4-2  
EN 61000-4-3  
EN 61000-4-4  
EN 61000-4-5  
EN 61000-4-6  
EN 61000-4-8  
EN 61000-6-2  
EN/IEC 62040-2

### Physical

Net weight 0.05 kg

Width 5.2 cm

Height 4.4 cm

Depth 8.0 cm

### Conformance

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                        |                       |
|------------------------|-----------------------|
| Product certifications | FCC Class A<br>AS/NZS |
|------------------------|-----------------------|

## Environmental

|                                       |              |
|---------------------------------------|--------------|
| Storage Relative Humidity             | 0...95 %     |
| Relative humidity                     | 0...95 %     |
| Ambient air temperature for storage   | -15...65 °C  |
| Ambient air temperature for operation | -15...65 °C  |
| Storage altitude                      | 0...15240 m  |
| Operating altitude                    | 0...10000 ft |

## Communications & Management

|                             |                                                                                                                         |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Communication network type  | 10/100/1000BASE-T                                                                                                       |
| Authentication              | Radius                                                                                                                  |
| Communication port protocol | HTTP over secure sockets<br>Layer (HTTPS)<br>SSH<br>FTP<br>HTTP<br>SNMP<br>DHCP<br>BOOTP (Bootstrap Protocol)<br>TCP/IP |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 5.000 cm  |
| Package 1 Width              | 16.500 cm |
| Package 1 Length             | 24.000 cm |
| Package 1 Weight             | 314.000 g |
| Unit Type of Package 2       | P06       |
| Number of Units in Package 2 | 44        |
| Package 2 Height             | 55.000 cm |
| Package 2 Width              | 60.000 cm |
| Package 2 Length             | 80.000 cm |
| Package 2 Weight             | 17.000 kg |



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 69 kg CO2 eq.                                 |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |
| Carbon footprint of the manufacturing phase [A1 to A3] | 3 kg CO2 eq.                                  |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 66 kg CO2 eq.                                 |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0 kg CO2 eq.                                  |

## Use Better



### Materials and Substances

|                                        |                                      |
|----------------------------------------|--------------------------------------|
| Packaging made with recycled cardboard | No                                   |
| Packaging without single use plastic   | No                                   |
| <a href="#">EU RoHS Directive</a>      | Compliant with Exemptions            |
| SCIP Number                            | F4c2965e-f80d-4830-8cd4-be926afb0f45 |
| REACH Regulation                       | <a href="#">REACH Declaration</a>    |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                                                                                                                                                                                                 |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End of life manual availability | <a href="#">End of Life Information</a>                                                                                                                                                                         |
| Take-back                       | No                                                                                                                                                                                                              |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |